



TZ Medical
Sparked by your ideas

CARE INSTRUCTIONS FOR THE TZ MEDICAL ANTI-FATIGUE MATS

FAILURE TO FOLLOW CARE INSTRUCTIONS WILL VOID YOUR WARRANTY.

After unpacking your mat, you may notice small wrinkles on the outside edges of the mat and possibly some on the top surface. These are normal and should disappear within 48 hours of placing the mat on a flat surface. Your mat requires a minimum of care, but certain activities should be avoided to increase the usable life of the product.

DO NOT stand on the mat in “stiletto” type high-heeled shoes. These sharp heels can potentially damage the surface of the mat.

DO NOT clean with a power vacuum cleaner. The high speed rotating brush can damage the surface of the mat.

DO NOT ALLOW WATER/MOISTURE TO BECOME TRAPPED UNDER YOUR TZ MEDICAL ANTI-FATIGUE MAT. Only use on dry floors. Moisture or liquid that becomes trapped under your mat may not dry and must be removed as soon as possible to avoid damage to your flooring. When mopping your floor, please ensure that your floor has completely dried before replacing the mat. Prolonged exposure to moisture/liquid may cause mold/mildew and/or damage to your mat and some types of flooring surfaces. CHECK under your mat(s) periodically. We recommend that you contact your flooring provider/installer to determine if your flooring material may interact with our product. TZ Medical Anti-Fatigue Mats are made with a polyurethane bio-foam material. Clean your TZ Medical Anti-Fatigue mat with water, mild soap and a damp sponge, cloth or mop. You may use general purpose floor or kitchen cleaners such as 409 or mild dish-washing soap to clean your mat.



DO NOT USE any cleaning product containing acetone, alcohol, bleach or ammonia on your mat. These cleaning agents will VOID YOUR WARRANTY and DAMAGE YOUR MAT.

For in-hospital environments, TZ Medical Anti-Fatigue Mats may be cleaned with a low-level, hospital grade disinfectant cleaner which kills blood-borne pathogens. We recommend using 3M™ or Ecolab® HB Quat Disinfectant Cleaner, diluted and dispensed as prescribed in the cleaner's general use directions, or a cleaning agent similar in composition. You can also use BioKleen and accelerated hydrogen peroxide.

- DO NOT use hot water extraction, steam cleaning, or high pressure water/air to clean the mat as they could damage the mat and will void the warranty.
- DO NOT CLEAN your mat in a dishwasher or any type of commercial washer.
- DO NOT store or pack the mat rolled with the bottom side out. This can create permanent wrinkles and uneven surfaces.
- DO NOT fold the mat as this can cause permanent damage.
- DO NOT place furniture or equipment on mat. Permanent indentions on mat may occur.
- DO NOT use the mat in wet environments or step on the mat with wet feet. The TZ Medical Anti-Fatigue Mat is not intended for use in wet areas. The surface of the mat may become slippery when feet are wet.

